You Can't Open It Wrong!

Open ROOS COLUMN

and it fi



Eliminates Mental Effort

You Cannot Set It Wrong

JU
2 U

(Both A

FOR
OR S

Wareh
in Pri
Citi

SIZE OF CLAMP	SIZE OF BARS	ADJUSTMENT INCHES	WEIGHT	SIZES OF COLUMNS CLAMPED (NET CONCRETE) USING 2 INCH COLUMN LUMBER
36″	5/16″x2½″x36″	16″	40 lbs.	8″x 8″ to 24″x 24″
48″	3/8″x 2½″x 48″	22″	60 lbs.	14″x14″ to 36″x 36″
OTHER SIZES FURNISHED ON REQUEST				
For 1″ Lumber, Add 2″ to "Sizes of Columns Clamped"				

SELF
ROO
ADJU

2036-46 Dana Ave. The H·W·ROO

THE CHEAPEST CLAMP BECAUSE

CLAMP Either Way—
its the Column!

ST
NITS
Alike)
RENT
ALE
oused
ncipal
ies

LOCK
HOR
STABLE

Eight Distinct Advantages of ROOS Column Clamps

1. Just two units—Both alike
2. Impossible to attach incorrectly
3. No detachable parts or tools are necessary
4. Only a hammer is required to adjust
5. Units are symmetrical and interchangeable
6. Easiest clamp to tighten and remove
7. Greatest range for various sizes
8. Cheapest setting cost



PATENTED JUNE 22, 1926

OS Co. CINCINNATI, OHIO

IT'S QUICKEST

EDW. J. COOPER,
NEW YORK, REP.,
2 JANE ST. APT. 16
Phone: Watkins 1571

WM F. WALKER, Jr. 631 Calvert Bldg.
Eastern Manager, Phone: Plaza 1699
BALTO., MD.

PRINTED IN U. S. A.

F. 150—SPOK.—5-27—2M